

A Review on Dataset Collection Strategies for Learning Methods in Robotic Manipulation

Gabriel Amaral Dorneles¹[0009-0001-6554-5832], Kristofer Stift Kappel¹[0000-0002-9124-8540], Stephanie Loi Brião¹[0000-0001-9345-2038], João Francisco de Souza Santos Lemos¹[0009-0005-1244-7656], Rodrigo da Silva Guerra¹[0000-0003-4011-0901], and Paulo Lilles Jorge Drows Junior¹[0000-0002-7519-0502]

Center for Computational Sciences - C3,
Universidade Federal do Rio Grande - FURG, Brazil
gdorneles@furg.br
<http://www.c3.furg.br>

Abstract. A significant challenge in recent learning-based development for robotic manipulation is acquiring large datasets suitable for learning. In contrast to fields like computer vision and natural language processing, where abundant visual and textual data can be readily sourced online, robotics data remains relatively limited. This work explores existing methods for dataset collection tailored to machine learning applications in robotic manipulation, emphasizing the persistent challenges of obtaining large-scale, diverse, and high-quality datasets. The methods include manual gripper data collection, collaborative large-scale datasets from multiple laboratories, and generating demonstrations in simulated environments. Our review highlights that tailor-made datasets remain essential because domain transfer is a key challenge that has not yet been fully addressed. Synthetic datasets and data augmentation will also play an increased role in addressing these limitations.

Keywords: Robotic manipulation · Dataset collection · Machine learning.

1 Introduction

Robots are increasingly being adopted in contexts beyond the structured and repetitive environments of factories, taking on roles in the service sector for both professional and personal use. However, unstructured environments present challenges that require robots to understand and interact with the world in a much more advanced way than was previously necessary [24].

In light of this, robotic manipulation emerges as one of the most fundamental skills. Environments such as hospitals, restaurants, and homes demand that robots be capable of interacting and manipulating in unfamiliar and unplanned scenarios, requiring more sophisticated perception and manipulation capabilities than were needed before [18].

A NASA roadmap defines manipulation in robotics as “[...] making an intentional change in the environment or objects that are being manipulated” [23]. While there are various definitions of this concept, this work focuses specifically on this one, emphasizing actions that support tasks commonly performed in industry, logistics, healthcare, and especially in the domestic environment.

At the core of robotic manipulation lies the challenge of teaching robots how to perform tasks effectively in diverse and dynamic environments. Two primary approaches have emerged as the foundation for this endeavor: reinforcement learning (RL) and imitation learning (IL) [43]. Each method offers unique advantages and limitations, shaping how robots acquire and refine manipulation skills.

Central to the success of both the RL and IL methods is the availability of diverse and representative datasets. Data collection is pivotal in enabling robots to generalize across tasks and adapt to real-world scenarios [11]. However, collecting large-scale, high-quality datasets for robotic manipulation remains expensive and time-consuming, often requiring skilled human operators and specialized equipment. Recent innovations such as simulation-based data generation and hybrid approaches that combine human demonstrations with algorithmic augmentation have sought to address these challenges, enabling more efficient training pipelines. Considering this, this paper presents the following contributions:

- We investigate dataset collection strategies tailored for learning methods in robotic manipulation, emphasizing both traditional and advanced approaches;
- We offer an analysis of future research directions, derived from a systematic review of the existing literature, to push advancements in robotic manipulation;

The research methodology involved multiple academic databases, including IEEE Xplore, ACM Digital Library, and Google Scholar. Specific approaches in robotic manipulation published between 2017 and 2025 were selected through various combinations of the keywords: “Manipulation”, “Skill Learning”, “Manipulation dataset”, “Imitation Learning”, “Large-scale data collection”, and “Learning from demonstration”.

The paper is organized as follows: Section 2 presents an overview of datasets in machine learning. Section 3 explains the key approaches to learning in robotic manipulation. Then, Section 4 explores the main methods for dataset collection in manipulation tasks. Next, challenges and advances are presented in Section 5. Finally, Section 6 shows the conclusions of this review.

2 Collecting Datasets for Machine Learning

Learning methods such as IL and offline RL rely on extensive datasets, which can be obtained through various means. The quality, size, and diversity of these datasets directly influence the robustness and generalization capability of the models [11]. A large and diverse dataset enables models to learn from a wide

range of scenarios, particularly in applications like healthcare, robotics, and autonomous vehicles, where variability is inherent.

In some cases, data are collected passively, through user interactions on the internet, or by recording information from IoT devices in smart homes. While such data may not be specifically tailored to the task at hand, portions of the sequences within these datasets can still provide valuable insights for the policy being developed [11].

For tasks with clear objectives, such as robotic manipulation and autonomous navigation, data can be collected in a controlled environment where environmental variables are carefully managed to ensure the data is both relevant and high-quality. In these scenarios, both human-generated and machine-generated demonstrations can be utilized. As noted in [21], human demonstrations differ from machine-generated datasets due to a non-Markovian decision-making process, as humans do not rely solely on the current observation to make decisions. Furthermore, when multiple researchers collect data, the quality and execution strategy can vary [20], unlike in machine-generated datasets, which tend to maintain consistency.

An alternative method to obtain datasets is to use synthetic data for model training. These data can be automatically generated from simulations, allowing the creation of datasets without the need for real-world collection, such as generating traffic scenes for autonomous vehicle training [38,15].

However, generating synthetic data presents a fundamental technical challenge known as the reality gap or sim-to-real gap [30], which refers to the disparity between synthetically generated data and the complexity of the real world. To address this gap, one promising approach is domain randomization, which aims to teach models how to learn domain-invariant features (real or simulated), resulting in more transferable models [15].

Another approach to addressing this problem, beyond overcoming the domain gap, is tackling the content gap [15,36]. This involves addressing the limitation that synthetic content often replicates only a restricted set of scenes without necessarily reflecting the diversity of objects found in the real world. Reducing this gap has been a topic of great interest in robotics, as it offers the potential to apply algorithms that have so far been restricted to simulated domains [30].

3 Learning Methods for Manipulation

In order to manipulate objects, a robotic gripper must understand its relationship to the object, including its distance and pose. This is typically achieved using LiDARs, which employ laser pulses to calculate distances, or RGB-D cameras, which include depth information alongside the image, converting the data into a 3D representation such as point clouds or meshes [26]. According to [43], the two main methods used for robot manipulation control are reinforcement learning and imitation learning.

Although traditional reinforcement learning has been successful in many applications in the past, these approaches were inherently limited to low-dimensional

problems [2]. This is due to the need to derive optimal policies from an accurate model of the environment, which proves to be unfeasible for more sophisticated challenges, such as those encountered in real-world robotic manipulation problems. In this regard, deep reinforcement learning (DRL) has proven to be effective [43], enabling robots to learn behaviors directly from high-dimensional input signals, such as images [3,34], or point clouds [9,37,29].

One of the most relevant approaches for the current context is using point clouds to determine contact points on objects. A prominent methodology in this area is that of [27], which employs the PointNet++ architecture [31] alongside a Variational Auto-Encoder [17] to extract three-dimensional features from scenes and thus generate grasp poses with six degrees of freedom. The model is trained using synthetic data generated by a simulator and later tested in real environments. In addition to generating multiple poses for a single object, the method stands out by introducing an evaluator network that checks the quality of the grasp and refines iteratively.

On the other hand, an approach that has gained attention is task teaching through imitation learning. Unlike methods based solely on contact points, it enables the transmission of complex tasks with minimal expert knowledge, without explicit programming or designing specific reward functions [12]. According to [21], offline IL methods are largely variations of Behavior Cloning (BC), where a policy is trained to perform the same actions as the demonstrator in each state.

Previous work in imitation learning has demonstrated one-shot generalization [10,41] or zero-shot generalization [7,14] to new objects, which means that the models can generalize to a new object without prior demonstration (zero-shot) or only one demonstration (one-shot). However, zero-shot generalization to new tasks remains challenging, especially when considering vision-based manipulation tasks involving various skills with different objects. One way to achieve this type of generalization relies on overcoming challenges related to scaling data collection [14].

4 Methods for Collecting Datasets for Manipulation

One of the limitations of IL and offline RL is the difficulty in obtaining sufficiently large and diverse datasets to train networks capable of generalizing across a wide range of tasks. Several previous studies have introduced datasets for robot learning, varying in collection methods, domain, and diversity (see Table 1). Some works are limited to simple 2D environments [40] or manually encoded policies [13,42], but their application to more complex tasks can be limited.

To overcome this limitation, several approaches explore unstructured videos of humans performing manipulation tasks as a way to teach robots to reproduce these movements [1,25,33]. Other strategies employ Behavior Cloning with human operators teleoperating robotic arms through different control interfaces such as 3D spacemouses [4], VR or AR controllers [14,44], and smartphones [22]. Some studies collect datasets with teleoperated robot arms and human demonstrations of the same tasks [8,32]. While this strategy shows promising results, it

Table 1: Comparison of collection methods for robotic manipulation datasets. The Scalable column uses (✓) to denote methods that allow large-scale task collection and (✗) methods that would require extra work to scale to additional scenes or tasks.

Year	Method	Collection Type	Domain	Actuator	Tasks	Scalable
2017	Zhang et al.	Teleop	Real	Robot Arm	10	✓
2018	RoboTurk	Teleop	Simulated	Robot Arm	2	✓
2018	MIME	Teleop + Demos	Real	Robot + Human	20	✗
2019	RoboNet	Hard-coded policy	Real	Robot Arm	5+	✗
2019	RLBench	Hard-coded policy	Simulated	Robot Arm	100	✗
2019	Song et al.	Manual Gripper	Real	Manual Gripper	4+	✓
2020	MAGICAL	2D Environment	Simulated	2D Robot Arm	8	✗
2020	Tan et al.	Hard-coded policy	Sim + Real	Robot Arm	10	✗
2021	BridgeData	Teleop	Real	Robot Arm	71	✗
2022	BC-Z	Teleop	Real	Robot Arm	100	✗
2022	HOLD	Human Demos	Real	Human Arm	5	✓
2022	VideoDex	Human Demos	Real	Human Arm	7	✓
2023	OXE	Dataset Aggregation	Real	Robot Arm	217	✗
2023	MimicGen	Data Augmentation	Simulated	Robot Arm	18	✓
2023	Mendonca et al.	Human Demos	Real	Human Arm	6	✓
2023	DP	Teleop	Sim + Real	Robot Arm	15	✗
2023	GenAug	Data Augmentation	Sim + Real	Robot Arm	10	✓
2023	RoboSet	Hard-coded + Teleop	Real	Robot Arm	38	✗
2023	RH20T	Teleop + Demos	Real	Robot + Human	33	✓
2024	AnyTeleop	Teleop	Sim + Real	Robot Arm	10	✓
2024	RUM	Manual Gripper	Real	Manual Gripper	5	✓
2024	UMI	Manual Gripper	Real	Manual Gripper	4	✓
2024	DROID	Teleop	Real	Robot Arm	86	✗

is expensive and time-consuming as it requires the participation of skilled human operators and specialized equipment. Furthermore, videos of humans present a significant embodiment gap compared to robots, making their direct application challenging [5].

Another complicating factor is training models on highly varied datasets, where the camera position and robot type are not standardized. Unlike fields like computer vision and natural language processing, where data formats are well defined, robotics still lacks uniformity in both hardware configurations, such as cameras and sensors, and robots themselves [7]. Some of the methods used to address this issue include features that will be highlighted below.

4.1 Collaborative Efforts

The Open X-Embodiment (OXE) [28] is the largest open-source robotic manipulation dataset, with more than 1 million trajectories and 22 robot body configurations. The authors combine 60 robotic datasets from 34 research laboratories worldwide to create this dataset, unifying them into a consistent format

for ease of use. The primary goal of OXE is to enable transfer learning between different robots through a diverse dataset, which includes a wide range of skills, with the majority focused on pick-and-place tasks [28].

Similarly to OXE, the Distributed Robot Interaction Dataset (DROID) [16] aims to create a large-scale, diverse dataset by utilizing multiple laboratories across North America, Asia, and Europe over 12 months. As a standardized data collection unit, the DROID platform aims to ensure consistent and reproducible robot control across diverse setups, locations, and time zones, shown in Figure 1. This approach enabled the creation of a dataset with significantly greater scene diversity compared to the next most diverse robot manipulation dataset [16].




Fig. 1: The DROID Platform. The setup includes a Franka Panda 7-DoF robot arm, two adjustable Zed 2 stereo cameras, a wrist-mounted Zed Mini stereo camera, and an Oculus Quest 2 headset with controllers for teleoperation [16].

However, such datasets require data collection across various environments and configurations over an extended period. This scale of work makes the data collection process and standardization a significant logistical and technical challenge. Additionally, deploying these models in new environments still requires data collection for fine-tuning, as the experiments do not account for robots with significantly different sensing and actuation modalities.

4.2 Manual Grippers

An explored alternative is the use of manual grippers equipped with sensors as a data collection interface [5,7,35], which reduces the gap between the collected data and the real world while also facilitating the data collection process.

The Universal Manipulation Interface (UMI) [5], shown in Figure 2, is a platform designed to transfer human demonstrations collected in real environments to robotic control policies. Compared to other methods, the data collected with the UMI has a minimal embodiment gap in both the action and observation spaces, eliminating the need for physical or simulated robots during data collection and providing data and policies that are transferable across different robot configurations [5].




Fig. 2: Operator collecting a dataset using UMI. On the right is the setup configuration, and on the left are images captured by the camera mounted on the gripper [5].

Although it is a viable alternative for large-scale data collection, methods like UMI have some drawbacks that limit their applicability. First, they require specific sensors for capturing demonstrations, and the system still depends on human operators to perform them. Additionally, the scalability of UMI to different robot configurations is limited, as the robot gripper needs to be compatible with the configurations used in the captured dataset [5].

4.3 MimicGen

Given these challenges, MimicGen [19] is a method that allows the creation of large datasets from a limited number of demonstrations, adapting them to new robot and environment configurations. Starting with an original dataset \mathcal{D}_{src} ,

composed of a small number of human demonstrations in a task t , MimicGen is capable of expanding it to create a larger dataset, \mathcal{D} , which includes both the original task and variations of it, enabling changes in the initial state distribution, involved objects, or robot arm configuration.




Fig. 3: Overview of MimicGen. The method generates data across a variety of scene configurations, objects, and robot hardware [19].

The process of generating a new demonstration involves the following steps: (1) selecting an initial state from the task for the generation of data, (2) choosing and adapting a demonstration $\tau \in \mathcal{D}_{\text{src}}$ to produce a new robot trajectory τ' , (3) the robot executes the trajectory τ' in the current scene, and if it completes the task successfully, the sequence of states and actions is added to the dataset \mathcal{D} [19].

From 10 demonstrations, the method can generate a dataset of 1000 demonstrations. The authors then use each generated dataset to train policies via Behavior Cloning with an RNN-based policy [21]. When comparing the performance of agents trained on \mathcal{D}_{src} with those trained on \mathcal{D} , a consistent improvement was observed in all tasks, with an increase in the success rate of 80% in specific tasks [19].

Despite its advantages, MimicGen has certain limitations, primarily due to its reliance on a simulated environment for data generation. While simulation enables the creation of large and diverse datasets, there is often a gap between simulated and real-world performance due to discrepancies in dynamics, perception, and environmental complexity. The method assumes that demonstrations adapted from \mathcal{D}_{src} will generalize well to new configurations, but this does not always translate effectively to real-world scenarios where sensor noise, unmod-

eled physics, or unexpected interactions may cause deviations from the expected behavior.

5 Challenges and Trends

Advancements in RL, IL, and data collection methodologies have driven progress in robotic manipulation, helping to tackle the challenges of high-dimensional environments and complex tasks. Early approaches often relied on handcrafted policies and small-scale datasets, limiting their adaptability to diverse real-world scenarios.

However, the shift toward large-scale data collection, particularly through the teleoperation of robotic arms and collaborative efforts, has significantly improved the diversity of available datasets and facilitated a more comprehensive examination of machine learning generalization capabilities. Another prominent trend is the increased adoption of manually operated grippers, which improve scalability by allowing rapid data collection across various tasks and diverse scenarios. While these methods have proven effective for generating datasets for robotic learning, transferring this knowledge to new robots, actuators, and environments remains a significant challenge.

High-fidelity physics simulators, such as NVIDIA Omniverse [6] and MuJoCo [39], combined with large-scale 3D object datasets and data augmentation techniques such as MimicGen, are enabling researchers to generate large-scale synthetic datasets that complement real-world data and help bridge domain and content gaps. We believe these techniques will become increasingly relevant for data collection strategies, especially given that the standardization of robotic manipulation platforms is unlikely to happen soon.

Ultimately, the continued evolution of robotic manipulation will depend on further advancements in scalable data collection, generalization techniques, and the integration of real and synthetic datasets. By overcoming these challenges, robotic manipulation systems will be better equipped to perform complex tasks in diverse real-world environments. This progress will pave the way for broader adoption in unstructured settings, including assistive and domestic applications.

6 Conclusion

This paper reviewed a range of methods in robotic manipulation, from reinforcement and imitation learning to large-scale data collection and synthetic dataset generation. Examining real-world and simulation-based approaches, we discussed trends and ongoing challenges, particularly in generalization and scalability. Continued integration of these strategies will be essential for advancing manipulation systems toward real-world deployment.

Acknowledgments. This work was partly supported by FINEP, ANP-PRH22, FAURG, FAPERGS and CNPQ.

Disclosure of Interests. The authors have no competing interests to declare that are relevant to the content of this article.

References

1. Alakuijala, M., Dulac-Arnold, G., Mairal, J., Ponce, J., Schmid, C.: Learning reward functions for robotic manipulation by observing humans. 2023 IEEE International Conference on Robotics and Automation (ICRA) pp. 5006–5012 (2022)
2. Arulkumaran, K., Deisenroth, M.P., Brundage, M., Bharath, A.A.: Deep reinforcement learning: A brief survey. *IEEE Signal Processing Magazine* **34**(6), 26–38 (Nov 2017). <https://doi.org/10.1109/msp.2017.2743240>
3. Cao, H., Chen, G., Li, Z., Feng, Q., Lin, J., Knoll, A.: Efficient grasp detection network with gaussian-based grasp representation for robotic manipulation. *IEEE/ASME Transactions on Mechatronics* **28**(3), 1384–1394 (2023). <https://doi.org/10.1109/TMECH.2022.3224314>
4. Chi, C., Xu, Z., Feng, S., Cousineau, E., Du, Y., Burchfiel, B., Tedrake, R., Song, S.: Diffusion policy: Visuomotor policy learning via action diffusion. *The International Journal of Robotics Research* (2023)
5. Chi, C., Xu, Z., Pan, C., Cousineau, E.A., Burchfiel, B., Feng, S., Tedrake, R., Song, S.: Universal manipulation interface: In-the-wild robot teaching without in-the-wild robots. *ArXiv abs/2402.10329* (2024)
6. Corporation, N.: Nvidia isaac sim. <https://developer.nvidia.com/isaac/sim> (2023)
7. Etukuru, H., Naka, N., Hu, Z., Lee, S., Mehu, J., Edsinger, A., Paxton, C., Chintala, S., Pinto, L., Shafullah, N.M.M.: Robot utility models: General policies for zero-shot deployment in new environments. *ArXiv abs/2409.05865* (2024)
8. Fang, H., Fang, H., Tang, Z., Liu, J., Wang, J., Zhu, H., Lu, C.: Rh20t: A comprehensive robotic dataset for learning diverse skills in one-shot. 2024 IEEE International Conference on Robotics and Automation (ICRA) pp. 653–660 (2023)
9. Fang, H., Wang, C., Fang, H., Gou, M., Liu, J., Yan, H., Liu, W., Xie, Y., Lu, C.: Anygrasp: Robust and efficient grasp perception in spatial and temporal domains. *IEEE Transactions on Robotics* **39**, 3929–3945 (2022)
10. Finn, C., Yu, T., Zhang, T., Abbeel, P., Levine, S.: One-shot visual imitation learning via meta-learning. In: *Conference on robot learning*. pp. 357–368. PMLR (2017)
11. Fu, J., Kumar, A., Nachum, O., Tucker, G., Levine, S.: D4rl: Datasets for deep data-driven reinforcement learning. *ArXiv abs/2004.07219* (2020)
12. Hussein, A., Gaber, M.M., Elyan, E., Jayne, C.: Imitation learning: A survey of learning methods. *ACM Comput. Surv.* **50**(2) (Apr 2017). <https://doi.org/10.1145/3054912>, <https://doi.org/10.1145/3054912>
13. James, S., Ma, Z., Arrojo, D.R., Davison, A.J.: Rlbench: The robot learning benchmark & learning environment. *IEEE Robotics and Automation Letters* **5**, 3019–3026 (2019)
14. Jang, E., Irpan, A., Khansari, M., Kappler, D., Ebert, F., Lynch, C., Levine, S., Finn, C.: Bc-z: Zero-shot task generalization with robotic imitation learning. In: *Conference on Robot Learning*. pp. 991–1002. PMLR (2022)
15. Kar, A., Prakash, A., Liu, M.Y., Cameracci, E., Yuan, J., Rusiniak, M., Acuna, D., Torralba, A., Fidler, S.: Meta-sim: Learning to generate synthetic datasets. 2019 IEEE/CVF International Conference on Computer Vision (ICCV) pp. 4550–4559 (2019)

16. Khazatsky, A., Pertsch, K., Nair, S., Balakrishna, A., Dasari, S., et al., S.K.: Droid: A large-scale in-the-wild robot manipulation dataset. ArXiv **abs/2403.12945** (2024)
17. Kingma, D.P., Welling, M.: Auto-encoding variational bayes. CoRR **abs/1312.6114** (2013)
18. Kroemer, O., Niekum, S., Konidaris, G.: A review of robot learning for manipulation: Challenges, representations, and algorithms. *Journal of machine learning research* **22**(30), 1–82 (2021)
19. Mandlekar, A., Nasiriany, S., Wen, B., Akinola, I., Narang, Y.S., Fan, L., Zhu, Y., Fox, D.: Mimicgen: A data generation system for scalable robot learning using human demonstrations. In: *Conference on Robot Learning* (2023)
20. Mandlekar, A., Ramos, F., Boots, B., Fei-Fei, L., Garg, A., Fox, D.: Iris: Implicit reinforcement without interaction at scale for learning control from offline robot manipulation data. 2020 IEEE International Conference on Robotics and Automation (ICRA) pp. 4414–4420 (2019)
21. Mandlekar, A., Xu, D., Wong, J., Nasiriany, S., Wang, C., Kulkarni, R., Fei-Fei, L., Savarese, S., Zhu, Y., Mart'in-Mart'in, R.: What matters in learning from offline human demonstrations for robot manipulation. ArXiv **abs/2108.03298** (2021)
22. Mandlekar, A., Zhu, Y., Garg, A., Booher, J., Spero, M., Tung, A., Gao, J., Emmons, J., Gupta, A., Orbay, E., Savarese, S., Fei-Fei, L.: Roboturk: A crowdsourcing platform for robotic skill learning through imitation. In: *Conference on Robot Learning* (2018)
23. Mason, M.T.: Toward robotic manipulation. *Annual Review of Control, Robotics, and Autonomous Systems* **1**, 1–28 (2018)
24. Mejia, C., Kajikawa, Y.: Bibliometric analysis of social robotics research: Identifying research trends and knowledgebase. *Applied Sciences* **7**, 1316 (2017)
25. Mendonca, R., Bahl, S., Pathak, D.: Structured world models from human videos. ArXiv **abs/2308.10901** (2023)
26. Ming, Y., Yang, X., Wang, W., Chen, Z., Feng, J., Xing, Y., Zhang, G.: Benchmarking neural radiance fields for autonomous robots: An overview. *Engineering Applications of Artificial Intelligence* **140**, 109685 (2025). <https://doi.org/https://doi.org/10.1016/j.engappai.2024.109685>
27. Mousavian, A., Eppner, C., Fox, D.: 6-dof graspnet: Variational grasp generation for object manipulation. 2019 IEEE/CVF International Conference on Computer Vision (ICCV) pp. 2901–2910 (2019), <https://arxiv.org/abs/1905.10520>
28. Padalkar, A., Pooley, A., Jain, A., Bewley, A., Herzog, A., Irpan, A., et al.: Open x-embodiment: Robotic learning datasets and rt-x models. ArXiv **abs/2310.08864** (2023)
29. ten Pas, A., Gualtieri, M., Saenko, K., Platt, R.W.: Grasp pose detection in point clouds. *The International Journal of Robotics Research* **36**, 1455 – 1473 (2017)
30. Peng, X.B., Andrychowicz, M., Zaremba, W., Abbeel, P.: Sim-to-real transfer of robotic control with dynamics randomization. 2018 IEEE International Conference on Robotics and Automation (ICRA) pp. 1–8 (2017)
31. Qi, C.R., Yi, L., Su, H., Guibas, L.J.: Pointnet++: Deep hierarchical feature learning on point sets in a metric space. *Advances in neural information processing systems* **30** (2017)
32. Sharma, P., Mohan, L., Pinto, L., Gupta, A.K.: Multiple interactions made easy (mime): Large scale demonstrations data for imitation. In: *Conference on Robot Learning* (2018)
33. Shaw, K., Bahl, S., Pathak, D.: Videodex: Learning dexterity from internet videos. ArXiv **abs/2212.04498** (2022)

34. Shi, Y., Tang, Z., Cai, X., Zhang, H., Hu, D., Xu, X.: Symmetrygrasp: Symmetry-aware antipodal grasp detection from single-view rgb-d images. *IEEE Robotics and Automation Letters* **7**, 12235–12242 (2022)
35. Song, S., Zeng, A., Lee, J., Funkhouser, T.A.: Grasping in the wild: Learning 6dof closed-loop grasping from low-cost demonstrations. *IEEE Robotics and Automation Letters* **5**, 4978–4985 (2019)
36. de Souza Santos Lemos, J., Amaral Dorneles, G., Maurell, I., Brião, S., da Silva Guerra, R., Drews Junior, P.: Digital environment description and reconstruction using panoptic segmentation. In: *RoboCup 2024: Robot World Cup XXVII. Lecture Notes in Computer Science*, vol. 15570. Springer, Cham (2025). https://doi.org/10.1007/978-3-031-85859-8_20
37. Sundermeyer, M., Mousavian, A., Triebel, R., Fox, D.: Contact-graspnet: Efficient 6-dof grasp generation in cluttered scenes. *2021 IEEE International Conference on Robotics and Automation (ICRA)* pp. 13438–13444 (2021)
38. Tan, S., Wong, K., Wang, S., Manivasagam, S., Ren, M., Urtasun, R.: Scenegen: Learning to generate realistic traffic scenes. *2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)* pp. 892–901 (2021)
39. Todorov, E., Erez, T., Tassa, Y.: Mujoco: A physics engine for model-based control. *2012 IEEE/RSJ International Conference on Intelligent Robots and Systems* pp. 5026–5033 (2012)
40. Toyer, S., Shah, R., Critch, A., Russell, S.: The magical benchmark for robust imitation. *Advances in Neural Information Processing Systems* **33**, 18284–18295 (2020)
41. Yu, T., Finn, C., Xie, A., Dasari, S., Zhang, T., Abbeel, P., Levine, S.: One-shot imitation from observing humans via domain-adaptive meta-learning. *ArXiv abs/1802.01557* (2018)
42. Zeng, A., Florence, P.R., Tompson, J., Welker, S., Chien, J.M., Attarian, M., Armstrong, T., Krasin, I., Duong, D., Sindhwani, V., Lee, J.: Transporter networks: Rearranging the visual world for robotic manipulation. In: *Conference on Robot Learning* (2020)
43. Zhang, H., Kebria, P.M., Mohamed, S.M.K., Yu, S., Nahavandi, S.: A review on robot manipulation methods in human-robot interactions. *ArXiv abs/2309.04687* (2023)
44. Zhang, T., McCarthy, Z., Jow, O., Lee, D., Goldberg, K., Abbeel, P.: Deep imitation learning for complex manipulation tasks from virtual reality teleoperation. In: *IEEE International Conference on Robotics and Automation* (2017)